

Ventura County Community College District

Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

1 - 1. Instructor knows subject well.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	15	78.95%			
5	(5)	2	10.53%			
4	(4)	1	5.26%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.63	0.83	6.00

2 - 2. Clearly defines course requirements and grading criteria.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			
5	(5)	4	21.05%			
4	(4)	1	5.26%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.53	0.84	6.00

3 - 3. Demonstrates sensitivity to students of diverse backgrounds/needs.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			
5	(5)	3	15.79%			
4	(4)	1	5.26%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	5.26%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.56	0.86	6.00

Ventura County Community College District
 Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

4 - 4. Is well prepared for class.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	73.68%			5.53
5	(5)	2	10.53%			
4	(4)	2	10.53%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.53	0.90	6.00

5 - 5. Communicates subject matter effectively.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	11	57.89%			5.37
5	(5)	5	26.32%			
4	(4)	2	10.53%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.37	0.90	6.00

6 - 6. Stimulates my interest in the material presented.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			5.42
5	(5)	3	15.79%			
4	(4)	1	5.26%			
3	(3)	2	10.53%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.42	1.02	6.00

Ventura County Community College District
 Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

7 - 7. Raises challenging questions or issues.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	42.11%			5.00
5	(5)	5	26.32%			
4	(4)	4	21.05%			
3	(3)	2	10.53%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.00	1.05	5.00

8 - 8. Encourages student participation as appropriate.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			5.42
5	(5)	3	15.79%			
4	(4)	1	5.26%			
3	(3)	2	10.53%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.42	1.02	6.00

9 - 9. Testing is fair and appropriately reflects course material.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	10	52.63%			5.35
5	(5)	4	21.05%			
4	(4)	2	10.53%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	2	10.53%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.35	0.93	6.00

Ventura County Community College District
 Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

10 - 10. Regularly grades/evaluates and provides feedback on my performance.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			5.58
5	(5)	5	26.32%			
4	(4)	0	0.00%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.58	0.77	6.00

11 - 11. Assignments are relevant to the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	73.68%			5.47
5	(5)	3	15.79%			
4	(4)	0	0.00%			
3	(3)	1	5.26%			
2	(2)	1	5.26%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.47	1.12	6.00

12 - 12. Provides a positive learning environment for all types of students.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			5.42
5	(5)	3	15.79%			
4	(4)	1	5.26%			
3	(3)	2	10.53%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.42	1.02	6.00

Ventura County Community College District
 Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

13 - 13. Assignments/exams are returned in a reasonable amount of time.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%		5.42	
5	(5)	2	10.53%			
4	(4)	3	15.79%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.42	0.96	6.00

14 - 14. Encourages independent thinking and is open to other opinions.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	11	57.89%		5.32	
5	(5)	5	26.32%			
4	(4)	1	5.26%			
3	(3)	2	10.53%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.32	1.00	6.00

15 - 15. Teaching techniques are effective.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	11	57.89%		5.42	
5	(5)	6	31.58%			
4	(4)	1	5.26%			
3	(3)	1	5.26%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
19/24 (79.17%)				5.42	0.84	6.00

Ventura County Community College District
 Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

16 - 16. Shows enthusiasm for the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	12	63.16%			5.58
5	(5)	6	31.58%			
4	(4)	1	5.26%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
19/24 (79.17%)			5.58		0.61	6.00

17 - 17. Is willing to explain.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	73.68%			5.68
5	(5)	4	21.05%			
4	(4)	1	5.26%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
19/24 (79.17%)			5.68		0.58	6.00

18 - 18. Adheres to scheduled class time.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	68.42%			5.63
5	(5)	5	26.32%			
4	(4)	1	5.26%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
19/24 (79.17%)			5.63		0.60	6.00

Ventura County Community College District

Student Evaluation of Faculty for Fall 2023



Course: CHEM.V20L.70249: CHEM V20L - Elementary Chemistry Lab - 70249-Elementary Chemistry Lab - 70249
Instructor: Howard Han *
Response Rate: 19/24 (79.17%)

19 - 19. Is available for assistance via office hours and/or email (for full-time faculty only).

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	11	57.89%		5.53
5	(5)	4	21.05%		
4	(4)	2	10.53%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	2	10.53%		
				0 25 50 100	Question
Response Rate			Mean	STD	Median
19/24 (79.17%)			5.53	0.72	6.00

20 - 20. I would take another course from this instructor.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	11	57.89%		5.37
5	(5)	4	21.05%		
4	(4)	4	21.05%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
Response Rate			Mean	STD	Median
19/24 (79.17%)			5.37	0.83	6.00

21 - 21. Overall, how would you rate this instructor?

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	10	52.63%		5.42
5	(5)	7	36.84%		
4	(4)	2	10.53%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
Response Rate			Mean	STD	Median
19/24 (79.17%)			5.42	0.69	6.00

22 - 22. You are encouraged to comment further on the effectiveness of the instructor.

Howard Han

Response Rate 4/24 (16.67%)

- An amazing professor and will take time to explain any questions or assignments.
- Howard Han is a great teacher and creates a good learning environment. I rated question #9 a 5 out of 6 because of a lack of feed back on home work/grading. This is my only complaint. Howard Han is a great instructor and I am definitely learning in this class.
- Professor Han makes the class really interesting with the different labs that we've done. I appreciate the fact that he is really patient with us during labs and is willing to go around and help us with anything that we need.
- Very good teacher probably my favorite teacher in my years of attending College