

# Ventura County Community College District

## Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

### 1 - 1. Instructor knows subject well.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

### 2 - 2. Clearly defines course requirements and grading criteria.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

### 3 - 3. Demonstrates sensitivity to students of diverse backgrounds/needs.

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

4 - 4. Is well prepared for class.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
16/21 (76.19%)			5.88		0.34	6.00

5 - 5. Communicates subject matter effectively.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	81.25%			5.75
5	(5)	2	12.50%			
4	(4)	1	6.25%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
16/21 (76.19%)			5.75		0.58	6.00

6 - 6. Stimulates my interest in the material presented.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate			Mean		STD	Median
16/21 (76.19%)			5.88		0.34	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

**7 - 7. Raises challenging questions or issues.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	11	68.75%		5.53	
5	(5)	2	12.50%			
4	(4)	1	6.25%			
3	(3)	1	6.25%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	6.25%			
<b>Response Rate</b>				<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)				5.53	0.92	6.00

**8 - 8. Encourages student participation as appropriate.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%		5.88	
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
<b>Response Rate</b>				<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)				5.88	0.34	6.00

**9 - 9. Testing is fair and appropriately reflects course material.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	13	81.25%		5.87	
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	6.25%			
<b>Response Rate</b>				<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)				5.87	0.35	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

10 - 10. Regularly grades/evaluates and provides feedback on my performance.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate				Mean	STD	Median
16/21 (76.19%)				5.88	0.34	6.00

11 - 11. Assignments are relevant to the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate				Mean	STD	Median
16/21 (76.19%)				5.88	0.34	6.00

12 - 12. Provides a positive learning environment for all types of students.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
Response Rate				Mean	STD	Median
16/21 (76.19%)				5.88	0.34	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

13 - 13. Assignments/exams are returned in a reasonable amount of time.							
Howard Han							
Response Option	Weight	Frequency	Percent	Percent Responses	Means		
6	(6)	14	87.50%			5.88	
5	(5)	2	12.50%				
4	(4)	0	0.00%				
3	(3)	0	0.00%				
2	(2)	0	0.00%				
1	(1)	0	0.00%				
N/A	(0)	0	0.00%				
				0 25 50 100	Question		
Response Rate			Mean		STD		Median
16/21 (76.19%)			5.88		0.34		6.00

14 - 14. Encourages independent thinking and is open to other opinions.							
Howard Han							
Response Option	Weight	Frequency	Percent	Percent Responses	Means		
6	(6)	13	81.25%			5.87	
5	(5)	2	12.50%				
4	(4)	0	0.00%				
3	(3)	0	0.00%				
2	(2)	0	0.00%				
1	(1)	0	0.00%				
N/A	(0)	1	6.25%				
				0 25 50 100	Question		
Response Rate			Mean		STD		Median
16/21 (76.19%)			5.87		0.35		6.00

15 - 15. Teaching techniques are effective.							
Howard Han							
Response Option	Weight	Frequency	Percent	Percent Responses	Means		
6	(6)	13	81.25%			5.75	
5	(5)	2	12.50%				
4	(4)	1	6.25%				
3	(3)	0	0.00%				
2	(2)	0	0.00%				
1	(1)	0	0.00%				
N/A	(0)	0	0.00%				
				0 25 50 100	Question		
Response Rate			Mean		STD		Median
16/21 (76.19%)			5.75		0.58		6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

16 - 16. Shows enthusiasm for the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>	
16/21 (76.19%)			5.88	0.34	6.00	

17 - 17. Is willing to explain.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>	
16/21 (76.19%)			5.88	0.34	6.00	

18 - 18. Adheres to scheduled class time.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	14	87.50%			5.88
5	(5)	2	12.50%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
				0 25 50 100	Question	
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>	
16/21 (76.19%)			5.88	0.34	6.00	

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.70687: CHEM V20L - Elementary Chemistry Lab - 70687-Elementary Chemistry Lab - 70687  
**Instructor:** Howard Han \*  
**Response Rate:** 16/21 (76.19%)

**19 - 19. Is available for assistance via office hours and/or email (for full-time faculty only).**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

**20 - 20. I would take another course from this instructor.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

**21 - 21. Overall, how would you rate this instructor?**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	14	87.50%		
5	(5)	2	12.50%		
4	(4)	0	0.00%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
16/21 (76.19%)			5.88	0.34	6.00

**22 - 22. You are encouraged to comment further on the effectiveness of the instructor.**

Howard Han

**Response Rate** 3/21 (14.29%)

- He is a patient professor who will pause for questions if they are asked will walk around class sometimes to check on his students. His pre-lab assignments help to fully prepare student for the lab ahead and he always returns assignment grades/comments quickly. He is easy to talk to and ask questions or help from. Overall he is a great instructor!
- Thanks, Prof. Han!
- N/A