

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

1 - 1. Instructor knows subject well.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	9	75.00%		5.67	
5	(5)	2	16.67%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.67	0.65	6.00

2 - 2. Clearly defines course requirements and grading criteria.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%		5.58	
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.58	0.67	6.00

3 - 3. Demonstrates sensitivity to students of diverse backgrounds/needs.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	7	58.33%		5.55	
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	8.33%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.55	0.69	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

4 - 4. Is well prepared for class.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			5.58
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.58	0.67	6.00

5 - 5. Communicates subject matter effectively.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	7	58.33%			5.33
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	1	8.33%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.33	0.98	6.00

6 - 6. Stimulates my interest in the material presented.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	6	50.00%			5.17
5	(5)	2	16.67%			
4	(4)	4	33.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.17	0.94	5.50

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

7 - 7. Raises challenging questions or issues.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	5	41.67%			5.09
5	(5)	3	25.00%			
4	(4)	2	16.67%			
3	(3)	1	8.33%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	8.33%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.09	1.04	5.00

8 - 8. Encourages student participation as appropriate.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			5.67
5	(5)	4	33.33%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.67	0.49	6.00

9 - 9. Testing is fair and appropriately reflects course material.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			5.73
5	(5)	3	25.00%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	1	8.33%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.73	0.47	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

10 - 10. Regularly grades/evaluates and provides feedback on my performance.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	10	83.33%			5.75
5	(5)	1	8.33%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.75	0.62	6.00

11 - 11. Assignments are relevant to the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	9	75.00%			5.75
5	(5)	3	25.00%			
4	(4)	0	0.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.75	0.45	6.00

12 - 12. Provides a positive learning environment for all types of students.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	7	58.33%			5.42
5	(5)	3	25.00%			
4	(4)	2	16.67%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.42	0.79	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

**13 - 13. Assignments/exams are returned in a reasonable amount of time.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.58	0.67	6.00

**14 - 14. Encourages independent thinking and is open to other opinions.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			
5	(5)	3	25.00%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.58	0.67	6.00

**15 - 15. Teaching techniques are effective.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	7	58.33%			
5	(5)	3	25.00%			
4	(4)	2	16.67%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.42	0.79	6.00

Ventura County Community College District  
 Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

16 - 16. Shows enthusiasm for the course.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	8	66.67%			5.42
5	(5)	1	8.33%			
4	(4)	3	25.00%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.42	0.90	6.00

17 - 17. Is willing to explain.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	9	75.00%			5.58
5	(5)	2	16.67%			
4	(4)	0	0.00%			
3	(3)	1	8.33%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.58	0.90	6.00

18 - 18. Adheres to scheduled class time.						
Howard Han						
Response Option	Weight	Frequency	Percent	Percent Responses	Means	
6	(6)	9	75.00%			5.67
5	(5)	2	16.67%			
4	(4)	1	8.33%			
3	(3)	0	0.00%			
2	(2)	0	0.00%			
1	(1)	0	0.00%			
N/A	(0)	0	0.00%			
Response Rate				Mean	STD	Median
12/24 (50.00%)				5.67	0.65	6.00

Ventura County Community College District  
Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00%)

**19 - 19. Is available for assistance via office hours and/or email (for full-time faculty only).**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	8	66.67%		
5	(5)	3	25.00%		
4	(4)	1	8.33%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
12/24 (50.00%)			5.58	0.67	6.00

**20 - 20. I would take another course from this instructor.**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	8	66.67%		
5	(5)	3	25.00%		
4	(4)	1	8.33%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
12/24 (50.00%)			5.58	0.67	6.00

**21 - 21. Overall, how would you rate this instructor?**

Howard Han

Response Option	Weight	Frequency	Percent	Percent Responses	Means
6	(6)	7	58.33%		
5	(5)	4	33.33%		
4	(4)	1	8.33%		
3	(3)	0	0.00%		
2	(2)	0	0.00%		
1	(1)	0	0.00%		
N/A	(0)	0	0.00%		
				0 25 50 100	Question
<b>Response Rate</b>			<b>Mean</b>	<b>STD</b>	<b>Median</b>
12/24 (50.00%)			5.50	0.67	6.00

# Ventura County Community College District

## Student Evaluation of Faculty for Fall 2023



**Course:** CHEM.V20L.72923: CHEM V20L - Elementary Chemistry Lab - 72923-Elementary Chemistry Lab - 72923  
**Instructor:** Howard Han \*  
**Response Rate:** 12/24 (50.00 %)

### 22 - 22. You are encouraged to comment further on the effectiveness of the instructor.

#### Howard Han

Response Rate	
7/24 (29.17%)	

- Very nice
- I have no other comments.
- He's a great instructor, I like his class and I hope to have him the next semester.
- Great Professor would take his classes again, question 7 wording confuses me.
- .
- Great Teacher, very fair and fun
- Howard is very interactive and makes sure that his students have a good understanding of what we are supposed to be doing in lab.